

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

PATENT SPECIFICATION

NO DRAWINGS

963.518

963.518



Inventors: ANTHONY GEORGE BILOTTI
and RAYMOND MENGERT HAINER

Date of Application and filing Complete Specification: July 31, 1962.
No. 29335/62.

Complete Specification Published: July 8, 1964.

© Crown Copyright 1964.

RECORD COPY
CENTRAL FILE

Index at acceptance:—A2 B15

International Classification:—A 21. c

COMPLETE SPECIFICATION

Slab Chewing Gum

5 We, WARNER-LAMBERT PHARMACEUTICAL
10 COMPANY, a corporation organized under the
laws of the State of Delaware, United States
of America, of 201 Tabor Road, Morris
Plains, State of New Jersey, United States of
America, do hereby declare the invention,
for which we pray that a patent may be granted
to us, and the method by which it is to be
performed, to be particularly described in and
by the following statement:—

15 This invention relates to slab chewing gums
and to processes for producing same. More
particularly this invention relates to slab chew-
ing gums containing solid active ingredients
and to processes of producing same. Still more
particularly this invention relates to slab chew-
ing gums containing substantially water
insoluble solid active ingredients and to
processes for producing same.

20 There is a considerable market demand for
slab chewing gums containing active ingre-
dients for nutritional or pharmacological pur-
poses. However, at present there is not to our
knowledge slab gum on the market suitable
25 for such purposes because gum manufacturers
have been unable to produce a slab chewing
gum which allows for ready release of the
active ingredients from the chewing gum, par-
ticularly when the ingredients are not freely
30 water soluble.

35 It is generally well known that nearly all
active ingredients incorporated into slab chew-
ing gums heretofore have been chewed into
the base from which they are released at a
rate too slow to be of value. This is true
even for some water soluble materials. For
example, when water soluble chlorophyll is
incorporated into slab chewing gum as the
active ingredient, the chlorophyll is chewed
40 into the gum base and only a small fraction
of the chlorophyll is released from the base so
that a substantial amount of the activity of the
chlorophyll is lost. This problem is even
more serious when water insoluble active
45 materials, such as dicalcium phosphate, or
when oil soluble materials such as flavors and

[Price 4s. 6d.]

most medicaments, are incorporated into the
gum as the active ingredients. The release of
the active ingredients from the gum base is
a major problem and one which has con-
fronted the industry for a long time despite
the fact that slab chewing gums on a weight
basis are more than 75% water soluble
materials such as sugar and corn syrup.

50 It therefore has been the usual practice
55 in the industry when manufacturing chewing
gums having active ingredients to deposit the
active ingredient upon the exterior of a gum
nugget or center, usually with an underlying
thin layer of sugar, and to cover the unit with
60 a final layer of hard sugar. The outer layer
of hard sugar is generally produced by
tumbling the units in coating pans into which
saturated solutions of sugar are poured and
the water driven out by aeration, the finished
65 piece being commonly called "candy coated
gum". The use of candy coated gum allows
for the dissolution of the active ingredient
in the mouth before it is chewed into the gum
base.

70 It is therefore apparent that the production
of the slab gum containing active ingredients
would not only be of great value to the
industry generally because it would eliminate
the costly method of producing candy coated
gums, but would also be of considerable value
75 to the consumer because consumers over-
whelmingly prefer slab gums to candy coated
gums.

80 Slab chewing gum generally consists of four
basic components namely gum base, corn
syrup, sucrose and flavoring. The gum base
is composed of natural gums, synthetic resins,
waxes, fillers and softeners and generally repre-
sents 20—30% of the finished gum. The
85 corn syrup is a clear colorless or slightly
yellow non-crystallizable viscous tacky liquid
usually consisting of mixtures of dextrose,
maltose and other high molecular weight
saccharides. The corn syrup represents
90 15—20% of the finished gum and is employed
primarily for its softening and binding

2838

10
20
25
461
467
475
473
481
504
555
559
574
600
712
804

properties. The sucrose is generally ordinary cane sugar, in powdered form, and represents between 50—65%, on a weight basis of the gum formula. The sugar is primarily used as a filler and to impart the desired sweetness to the finished product. Any suitable flavor may be employed for the purposes of enhancing the taste of the finished product and the flavor usually represents 0.5—1.5%, by weight of the finished product.

In the preparation of slab chewing gum, the base is first prepared by placing the various ingredients which make up the base, i.e., the natural gums, synthetic resins, waxes, fillers, etc. in a mixing kettle containing mixing blades or agitators and thoroughly blending the various components. To the completed base is added all the corn syrup, sugar and flavoring material and the entire mass is then subjected to mild heat, for example, about 100—110° F. and thoroughly mixed such that the constituents are blended into a homogeneous dough-like mass. The mass is then unloaded from the kettle, cooled, rolled, scored and broken into individual slab pieces. A gum batch having total weight of 100 lbs. generally consists of about 20—30 lbs. of base and 70—80 lbs. of corn syrup and sugar, the major portion of the latter being sugar.

It is an object of the present invention to produce slab chewing gums containing active ingredients which can be readily released from the gums without having to radically disrupt existing gum manufacturing procedures and without the necessity for employing expensive special equipment.

According to our invention, we provide a method of preparing slab chewing gum containing solid active ingredients which are not freely soluble, corn syrup, sucrose and an insoluble gum base which tends to bind said solid active ingredients against release from the slab gum during the chewing of said gum. said method comprising intimately admixing said active ingredient in at least a portion of said corn syrup prior to mixing said corn syrup portion with said insoluble gum base, intimately mixing together all of the said materials and then forming from said mixture units for use.

The method of this invention thereby produces a slab chewing gum comprising an insoluble gum base, which tends to bind active ingredients against release from the gum during the chewing of the gum, homogeneously blended with sucrose, flavors and solid powdered active ingredients individually coated with the corn syrup.

In carrying out the process of this invention, active ingredients such as phosphates, chlorophyllins, vitamins, enzymes, antacids, fluorides and other active materials in solid form may be incorporated into the slab gum. The amount of active ingredients incorporated in the corn syrup will of course vary with the

particular active ingredients to be used. For example, when dicalcium phosphate is employed as the active ingredient, we prefer to use 1.0 to 10% by weight based on the weight of the gum, whereas when an enzyme is to be incorporated in the gum, we prefer to use 0.05% to 15% by weight based on the weight of the gum depending on the concentration of the enzyme. The active ingredients are generally employed in the form of solids of 100 mesh size (United States Standard Screen), or less, and preferably should have an average mesh size of about 270.

These active ingredients in the slab gum are very quickly dissolved upon chewing the gum and a very substantial portion of the total active ingredients in the gum are released from the gum during the initial 30 minutes of chewing. In fact between 65—92% of the active ingredient incorporated in the slab chewing gum may be released from the gum during the first 30 minutes of chewing as contrasted with 15%—45% release of active ingredients during the same time when the active ingredient is added directly to the gum formula. The actual amount of active ingredient released depends to a great extent on the active ingredient. However, we have found in our experiments that there is always a substantial improvement in the amount of active ingredient released when the methods of this invention are employed. Furthermore, the rate at which the active ingredient is released is also materially enhanced such that as much as 15% of the active ingredient is released during the first 6 minutes of chewing.

The active ingredients may be incorporated into the gum in a number of ways. For example, the active ingredient may first be intimately admixed with the entire corn syrup component of the slab gum so as to form a homogeneous mixture of the solid active ingredient dispersed throughout the corn syrup. This mixture is then blended in the usual and customary manner with the gum base and with the sucrose and flavoring agents. The mixture is then formed into slabs as is customary.

Alternatively and preferably we prefer to take a portion of the corn syrup used to make the completed gum, e.g. about half of the normal corn syrup complement of the gum, and blend the active ingredient with this portion of the corn syrup so as to form a homogeneous dispersion of the solid active ingredient throughout the corn syrup portion. Prior to mixing this portion with the gum base, sucrose, flavoring agents and the remaining portion of the corn syrup are intimately mixed together so as to form a homogeneous mixture. The corn syrup portion containing the blended active ingredient is then added to this mixture and the entire mass is thoroughly agitated so as to form a homogeneous disper-

sion of the active ingredient in corn syrup throughout the blend. The mixture is then formed into individual gum slabs as customary.

- 5 The difference in release of active ingredients from the gums of this invention as contrasted with active ingredients incorporated into slab gums prepared in accordance with conventional procedures will be seen from the following examples which are illustrative of the invention.

EXAMPLE 1.

Two batches of slab gums were made in the following manner. In Batch No. 1,

dicalcium phosphate was incorporated into a 43° Baumé corn syrup mix. This mixture replaced a portion of the corn syrup normally used in the making of slab gums. This mixture was added to a gum batch containing the gum base, sucrose, flavoring and remaining portion of corn syrup and thoroughly mixed therewith. In Batch No. 2 dicalcium phosphate was added directly to the gum formula and thoroughly mixed therewith. The slab gums prepared from both batches were then chewed for 30 minutes. The gums were then analyzed for the percent of active ingredient released. These results are set forth in Table I below:

TABLE I

Sample	Wgt. Gum	Wad Attenuation*	Wt. Residue	Wt. Residue Corrected for CaCO ₃	% Residue	% Dicalcium Phosphate Dihydrate	% Release after 30 Minutes
Batch #1	3.1207	67.4%	0.2887	0.2069	6.629	8.98	71.4
Batch #2	2.8514	59.0%	0.2229	0.2053	7.20	13.14	26.0

* loss in weight due to release of the active ingredient, as well as sugars and corn syrup from the gum.

As will be seen from this table, when the active ingredient is incorporated into the gum formula in accordance with the method of this invention, an improvement of close to 300% in the amount of active ingredient released is obtained.

The analysis of the samples were carried out by measurements determining the percent of dicalcium phosphate dihydrate present in the gum sample, the weight attenuation of the wad on chewing and the release of the phosphate on chewing. The analysis of dicalcium phosphate was made by total ignition of the sample followed by calculating the residue as calcium pyrophosphate. In computing the residue, correction was made for the calcium component content of the gum base on the basis of a control sample in which calcium was found to be 1.187% by weight of the sample. The weight attenuation was found by weighing the gum wads after chewing and prior to ignition.

EXAMPLE 2.

All of the corn syrup that was to go into the gum batch was separated and mixed with dicalcium phosphate. The gum syrup-dicalcium phosphate mix was a heavy light colored mixture similar to caramel paste. The gum batch was then prepared in a normal manner (i.e. the gum base was added to the gum kettle and mixed with the corn syrup dicalcium phosphate mixture). After mixing

the gum was unloaded and rolled in the normal manner. Samples of the gum were chewed and the gum was then analyzed in the manner described in Example 1 to determine the percent of release of the dicalcium phosphate from the gum. Results indicated that a total of about 80% release was obtained.

EXAMPLE 3.

Three batches of slab gums were made in the following manner. In Batch No. 1, a proteolytic enzyme was incorporated into the gum batch without any prior treatment and mixed thoroughly therewith. The gum was then processed in the normal manner. In Batch No. 2, all of the corn syrup that was to go into the gum batch was separated and mixed with a proteolytic enzyme. The mixture of enzyme and corn syrup was then added to the gum base and sucrose and the gum was thereafter processed in the normal manner. In Batch No. 3 a proteolytic enzyme was added to one-half of the normal complement of corn syrup and thoroughly mixed therewith. This mixture replaced an equal portion of the corn syrup normally used in the making of slab gums. This mixture was then added to a gum batch containing the gum base, sucrose, flavoring and the remaining portion of corn syrup and thoroughly mixed therewith. The slab gum was then processed in the normal manner.

Slab gums from all three batches were then

- chewed for 30 minutes. The gums were then analyzed in the manner described in Example 1 to determine the percent of release of the proteolytic enzyme from the gums. In Batch No. 1 a release of 50% of proteolytic enzyme was obtained, in Batch No. 2 a release of 74% of proteolytic enzyme was obtained, and in Batch No. 3 a release of 92% of the proteolytic enzyme was obtained.
- As will be seen from the above data, the methods of this invention provided for release of active ingredients of from 50% to 84%, more than that obtained using the conventional prior art method.
- WHAT WE CLAIM IS:—
1. A method of preparing slab chewing gum containing solid active ingredients which are not freely soluble, corn syrup, sucrose and an insoluble gum base which tends to bind said active ingredients against release from the slab gum during the chewing of said gum, said method comprising intimately admixing said active ingredient in at least a portion of said corn syrup prior to mixing said corn syrup portion with said insoluble gum base, intimately mixing all of the materials together and then forming from said mixture units for use.
 2. A method according to claim 1, in which a first mixture of the sucrose, gum base and a portion of the corn syrup and a second mixture of another portion of said corn syrup and the active ingredient are formed and both mixtures are intimately mixed.
 3. A method according to claim 1, in which the active ingredient is admixed with the total requirement of corn syrup in the gum and said corn syrup-active ingredient mixture is then blended with the insoluble gum base and sucrose.
 4. A method according to any one of the preceding claims, in which the active ingredient is powdered.
 5. A method according to claim 4, in which the powdered active ingredient has an average mesh size of less than 100, such as about 270.
 6. A method according to any one of the preceding claims, in which the active ingredients are phosphates, vitamins, chlorophyllins, enzymes, or fluorides.
 7. A method according to claim 6, in which 1.0 to 10% by weight dicalcium phosphate is used as the active ingredient.
 8. A method according to claim 6, in which 0.05% to 15% by weight of an enzyme is used as the active ingredient.
 9. A slab chewing gum comprising an insoluble gum base which tends to bind solid active ingredients against release from the gum during the chewing of the gum homogeneously blended with sucrose, flavors, corn syrup and solid powdered active ingredients suspended in said corn syrup.
 10. A slab chewing gum according to claim 9, in which the solid active ingredients have an average mesh size of less than 100 and are dispersed throughout the corn syrup.
 11. A slab chewing gum according to claim 9 or 10, which is capable of releasing at least 65% of active ingredient upon chewing for 30 minutes.
 12. A method of preparing slab chewing gum according to claim 1 substantially as herein described with reference to the Examples.
 13. A slab chewing gum prepared by the process according to any one of the preceding claims.
 14. A slab chewing gum according to claim 9 as herein described.

STEVENS, LANGNER, PARRY &
ROLLINSON,
Chartered Patent Agents,
Agents for the Applicants.

PATENTS SUMMARY

01/05/99

Page 1

Country : Great Britain

Patent #: 0,963,518

Index#: 2838

Inventor: Anthony George Bilotti, et.al.

Issue Date: 07/08/64

Assignee: Warner-Lambert

Date of Application: 07/31/62

Title:

SLAB CHEWING GUM

Desc.:

Slab chewing gums containing water insoluble solid active ingredients and the production method are described. To obtain rapid release of the active ingredient, it is mixed with at least a part of the corn syrup before addition to the base. The active ingredient may be vitamins, antacids, fluorides, etc.

Key Words:

- 10 CHEWING GUM
- 20 Anticaries/Antiplaque (Gum)
- 25 Pharmaceutical
- 461 Salt, Ions, Metals, Minerals
- 467 Pharmaceutical Agents
- 475 Enzymes
- 478 Vitamins
- 481 Chlorophyll
- 504 Mixing/Gum Manufacture
- 555 Fast or Slow Release/Long Lasting
- 559 Solubility
- 574 Health Benefit
- 600 ORAL HEALTH
- 712 Warner-Lambert/American Chicle
- 804 Great Britain